

TOTAL TRUCK CENTERS



GEAR GUIDE

TOWING





TOWTAL VIEW HD CAMERA With Versatile Mounts

Provides a high-quality color video feed via the free mobile app. The camera easily swaps between the permanent hardwired mount and the portable battery pack suction cup mount.

- Multi-position adjustable mounts for various viewing angles
- Over 100 feet of reliable range via a secure Wi-Fi connection
- 80° vertical and 110° horizontal field of view
- Quick connect mounts for easy no-tool swapping between locations
- Free mobile app for iOS and Android to view live color camera feed, record, capture photos, add/remove backup-assist lines, mirror and rotate the image
- App compatible with larger devices
- Permanent mount easily wires into vehicle's trailer lights
- Multi-coated lens for clarity, reducing glare, resisting fingerprints and scratches, and improving color accuracy
- Infrared LED lights for night vision to maintain color viewing



PN 25300



BACKUP ASSIST

Navigate tight spots in a crowded campground or back into your driveway when you return: Towtal View makes it a breeze.



LOAD MONITORING

Keep an eye on your precious cargo inside the trailer with the portable battery pack mount. Then switch to the permanent mount for easy reversing when you arrive.



SECURITY

Whether it's pets or kiddos, keep tabs on them and your entire campsite from inside the camper. Thanks to the convenience of Air Lift's mobile app, you can monitor them from up to 100 feet.



What's In The Box

- Portable suction cup power pack mount (1)
- Permanent trailer mount (1)
- Camera interface (1)
- Towtal View HD camera (1)
- HD camera power harness, 15' (1)
- Antenna (3)
- Grommet (1)
- Wire taps (2)
- Phillips head screw, M3.9, 19mm (2)
- 12v Car lighter to USB-C adapter (1)
- 1m USB-C cable (1)

ONBOARD AIR COMPRESSOR SYSTEMS



- Operates air springs within 5-100 PSI
- Free iOS and Android mobile app to monitor and inflate air springs
- Wireless handheld controller, programmable with up to three user-defined presets
- 2-gallon black powder-coated steel tank included
- Compact, Bluetooth-enabled manifold
- Heavy-duty 444c air compressor and 110-145 pressure switch
- All wiring, hardware, and fittings required for installation
- EZ Mount system is pre-assembled at the factory with manifold and solenoid assembly attached to a black powder-coated steel mounting bracket



WirelessOne Tank Plus EZ Mount PN 25981EZ

Single-path wireless control system allows for equal inflation of each air spring.



WirelessAir Tank Plus EZ Mount PN 74100EZ

Dual-path wireless control system allows for independent inflation of each air spring



Designed to work with most brands and styles of air springs. An excellent upgrade for existing air spring systems.



Provides an easily accessible air supply whenever you need it.



Control your system from inside or outside your vehicle using either the included remote control or the downloadable App.



BLUE OX

Premium 5th Wheel Hitches



Features

- Funnel-shaped hitch head helps guide the kingpin into place, significantly reducing the risk of false hookups & trailer drops
- True 360° nesting around the kingpin
- Dual articulating head: front/back, side-to-side
- No Kingpin adapters required
- Powder coat over e-coat finish



TrackPro™ Weight Distributing Hitch

PREMIUM SWAY MANAGEMENT

To ensure a smooth level ride and safe towing in windy conditions, install the TrackPro™ hitch to correct trailer sway and vehicle sag. A weight distribution hitch or weight distribution system can even improve steering and stopping while towing.

- Evenly distributes weight over axles of the tow vehicle and trailer
- Manages sway caused by bad roads, wind, and weather
- The caster in the hitch head constantly centers the trailer
- Spring bars augment the suspensions of the tow vehicle & trailer
- Tongue weights available: 600, 800, 1,000 & 1,300 lb.
- Gross towing weight: 13K maximum
- 2" receiver, 2-1/2" receiver shank available







BLUE OX

Recreational Tow Bars

Blue Ox tow bars set the standard in the industry with premium models featuring 2" longer legs providing more room between the tow vehicle and your flat towed vehicle.

Patented non-binding latches quickly disconnect even in the most rugged terrain. Blue Ox baseplates have removable tabs that give a clean OEM look when not in use.




Patriot Flat Tow Brake System

The Blue Ox Patriot Brake is a versatile flat tow brake system for full-size SUVs, pickups, compact cars, hybrids, or multiple vehicles with different floorplan configurations. It provides real braking action with the same force as a foot on the brake pedal, in the middle of the pedal, at the same angle for true, quicker, responsive braking. When you purchase a Patriot Brake, you get everything you need right in the box. There is no tank to drain, no pumps or hoses to connect, and no mess.



BOLT®

BREAKTHROUGH ONE-KEY LOCK TECHNOLOGY



1 KEY CONVENIENCE

The BOLT Series of locks lets you set all your truck, trailer and equipment locks to work with one key – your ignition key! Simply insert your vehicle's ignition key, including your KEY FOB key, into the BOLT lock, turn it once and the lock mechanically and permanently learns the key code.



TRAILER COUPLER LOCK

- Hardened steel hardware for extra security
- Maximum protection for unattended trailers
- Corrosion resistant
- Powder coated in red for visible theft deterrence
- Double ball bearing locking mechanism
- Plate tumbler sidebar to prevent picking and bumping
- Stainless steel lock shutter to keep out dirt and moisture

RECEIVER LOCK

- Stainless steel 1/2" diameter shaft
- Double ball bearing locking mechanism
- Auto return spring locks automatically when key is removed
- Plate tumbler sidebar to prevent picking and bumping
- Stainless steel lock shutter to keep out dirt and moisture



COUPLER PIN LOCK

- Fits couplers from 1/2" to 3 3/8" and any size in between
- 1/8" incremental adjustments allow for a snug fit
- Stainless Steel Pin
- Lock slides back and forth along pin for ease of use
- Plate tumbler sidebar to prevent picking and bumping
- Stainless steel lock shutter to keep out dirt and moisture

BRANDMOTION

WIRELESS TRANSPARENT TRAILER® SYSTEM

Eliminates blind spots and provides unobstructed visibility whether you're pulling a trailer or not. The high-definition digital mirror replaces your traditional rearview mirror and provides two cameras: a truck-specific third brake light camera and a wireless camera on the rear of your trailer. Switch between the two views with the click of a button. Take the stress out of towing with this industry leading product!



Dual camera vision system provides **unobstructed visibility** with or without a trailer!



WIRELESS HD SIDE MARKER LIGHT CAMERAS

Provide enhanced vehicle safety and convenience. These cameras discreetly integrate into side marker lights, offering high-definition video quality to eliminate blind spots, improving parking and lane change safety. Innovative design prevents storage door obstruction to maintain full functionality of your trailer. The wireless installation simplifies setup, eliminating complex wiring. These cameras are exclusively compatible with the Brandmotion Wireless HD Observation System AHDS-7810v2, ensuring seamless integration across various vehicles. Elevate your vehicle's safety and maneuverability with Brandmotion's Wireless HD Side Marker Light Cameras, a necessary addition to any recreational vehicle or trailer.

See all around your trailer!




**BULLETPROOF
HITCHES**

MEDIUM DUTY ADJUSTABLE DROP HITCHES

An adjustable steel hitch designed for those looking to tow with their SUV, 1/2-ton, or heavy-duty truck. Rated to 14,000 lb, the Medium Duty line of hitches offers high-strength steel and a solid-steel dual ball assembly. A great alternative for those wanting a safe towing experience without the weight of a solid-steel Heavy Duty or Extreme Duty hitch. All Medium Duty hitches can be used in the drop or rise position.

**Rated To
14,000 LB!**



MEDIUM DUTY WEIGHT DISTRIBUTION HITCH

Designed to help you tow trailers with confidence. The system evenly distributes the weight of the trailer over the axles of the tow vehicle for maximum stability and control. The integrated sway control helps to eliminate the side-to-side movement of the trailer for increased safety.

- 2-5/16" Ball included
- Compatible with 1-7/8" & 2" Threaded Balls with 1" Shank
- Works with all A-frame trailers
- Ability to back up while the system is installed
- Rated to 10,000 pounds trailer weight and 1,000 lbs tongue weight
- Electric brake and surge brake compatible





LUVERNE®

TEXTURED RUBBER TOW GUARD

- Convenient hitch-mounted system can be installed or removed as needed
- Full-width barrier offers a superior shield against rocks and other road debris
- Fully factory-assembled for faster, easier installation
- 3/8" thick, recycled rubber flaps protect the trailer
- Textured rubber surface hides scuffs and scratches to maintain a clean finish
- Strong steel frame features a durable, textured black powder coat finish
- Center openings allow access to hitch pin and electrical components
- Universal 72" width to fit most full-size pickups and SUVs
- 15" long flaps (PN 255200), 20" long (PN 255300) flaps can be trimmed for a custom fit



UNIVERSAL TRAILER COUPLER LOCK



HD WHEEL CHOCKS WITH MOUNTING BRACKET



Compatible with trailers with 1-7/8", 2" or 2-5/16" couplers. The ratchet-style mechanism allows you to secure any trailer quickly and easily by placing the lock base into the coupler and then sliding the U-bar over the nose of the coupler into the lock. To unlock, simply turn the key a quarter turn, and you're good to go.

PN 23090 - Coupler lock with 2 keys



These unique wheel chocks mount to the trailer frame and prevent the need to store them inside your truck or RV. The unique bracket mounts to the trailer frame and includes snap-rings which quickly store your wheel chocks out of the way and outside your vehicle.

PN 22802 - 2-pack with mounting bracket

PN 22803 - Single with mounting bracket



TRUE COURSE ADVANCED BLUETOOTH® TRAILER SWAY CONTROL SYSTEM

The advanced sway control system can bypass the trailer braking controller, acting independently of the driver to limit trailer sway in emergency situations. It is equipped with unique, motion-sensing technology that detects trailer movements not controlled by the weight distribution hitch. Our advanced patent-pending micro-processor technology can quickly and safely apply the trailer brakes to limit sway and ensure a safer towing experience.



PN 51202

FEATURES & BENEFITS

Prevents trailer sway by activating brakes independently of driver and brake controller

Easy plug-and-play installation



Patent-pending technology detects dangerous trailer movement

Compatible with multiple makes and models



QUICK INSTALLATION

Easy plug-and-play installation; mount module on trailer and plug in



MOTION DETECTION

Prevents major sway not controlled by the weight distribution hitch



TIRE LINC AUTO ADVANCED TIRE PRESSURE MONITORING SYSTEM



Monitor tire pressure and temperature as you tow in real-time. This helps you to prevent towing with overinflated or underinflated tires. With Tire Linc you can receive notifications directly to your smartphone to stay informed on tire temperature and pressure, as you tow.



FEATURES & BENEFITS

Actively monitors tire pressures and temperatures in real-time

Provides push notifications when hazardous conditions occur



Repeater technology strengthens wireless signal for reliable connectivity

Easy, do-it-yourself installation



MONITOR MULTIPLE TIRES

Actively monitors tire pressures and temperatures in real-time



CONVENIENT

Portable design allows use with multiple trailers



ADD ON CAPABILITY

Can monitor up to 20 tires (additional sensors required)





CURT

RAMBLER™ TOW BAR

Hitch up your dinghy vehicle with confidence with the CURT Rambler™ steel RV tow bar. Engineered for smooth non-binding operation, easy portability and dependable towing.

Constructed with non-binding latches which allow for easy disconnect on uneven terrain. It also has an automatic, hands-free locking mechanism when connecting the tow arms, making sure you are ready to tow safely.

The Rambler™ has a strong but lightweight design, weighing in at less than 40 pounds. This makes it easier to carry and set up compared to competitive models. The design is rigorously tested and fully rated for 7,500 pounds.



PN 70001

FEATURES & BENEFITS

Fits 2" receiver tubes

Patented, non-binding latches for easy release at various angles

Active slide resistance for enhanced control



Two hitch pin holes for added clearance

Fully sealed design protects against debris



FEATURES & BENEFITS

Fully sealed design protects against debris



FEATURES & BENEFITS

Patented, non-binding latches for easy release at various angles



FEATURES & BENEFITS

Three stowing position options



FEATURES & BENEFITS

Weights less than 40 pounds for easy handling and setup



FEATURES & BENEFITS

Includes safety cables and hitch pin and clip





TRAILER BRAKE CONTROL MODULES

MEET THE ECHO FAMILY An evolution in control

Powered by a Bluetooth® enabled system and the OneControl® Auto app, Echo® provides the most advanced braking experience on the market. This unique controller utilizes your smartphone to control and monitor all trailer brake activity with no need for extra controls, buttons, or knobs. Echo® is available in three configurations to best fit your lifestyle and vehicle.



Download the new
OneControl® Auto app!



Three ways to install Echo®



PN 51180

- 2 - 4 brakes
- 1 - 2 axles
- Wireless, portable design for easy transfer from one vehicle to another
- Zero-tool, plug-and-play between vehicle-trailer 7-way connectors



PN 51190

- 2 - 8 brakes
- 1 - 4 axles
- Plug-and-play with vehicle-specific quick plug harness (sold separately)
- Simple installation using included adhesive pad or zip ties



PN 51200

- 2 - 8 brakes
- 1 - 4 axles
- Plug in behind existing 7-way socket with USCAR connectors
- Waterproof enclosure seals and protects circuits against the elements

NEXT SERIES Brake Controllers

Powerful, compact, and intuitive modules designed to provide reliable operation of your electric trailer brakes from the comfort of your vehicle's cabin. With their sleek and modern design and a low-profile bracket for enhanced clearance, these controllers offer exceptional control.



Feature	Venturer NEXT PN 51116	Discovery NEXT PN 51126	TriFlex NEXT PN 51146
Activation system	Time	Time	Proportional
Brakes / axles	2 - 6 trailer brakes (1 - 3 axles)	2 - 8 trailer brakes (1 - 4 axles)	2 - 8 trailer brakes (1 - 4 axles)
Auto sleep mode	✓	✓	✓
Mounting angle	Any	Any	Any
Brightness control	✓	✓	✓
Day / night mode	✓	✓	✓
Output increments	1.0	0.5	0.5
Full text diagnostics	-	✓	✓

CURT® 5TH WHEEL HITCHES

CURT 5th wheel hitches are built to accommodate your adventures. 5th wheel towing is your ticket to freedom, giving you confidence for the road ahead and the ability to tow your camper to distant destinations. CURT also offers 5th wheel accessories and mounting options to perfectly suit your truck and trailer, including OEM puck products.

A-Series

Engineered for maximum strength and stability. It features a dual-jaw design that completely wraps around the kingpin, providing secure coupling and preventing rattling and chucking. Its head can be easily removed for full truck bed access and it can be adjusted to fit different trailer heights.



FEATURES & BENEFITS

Cast yoke suppresses shock loads and noise
Articulating torsion head for stable towing
Self-resetting, lockable handle
Base rails included (brackets sold separately)



FEATURES & BENEFITS

Extra wide head opening for easier coupling



FEATURES & BENEFITS

Cast yoke suppresses shock loads and noise



FEATURES & BENEFITS

Articulating torsion head for stable towing



FEATURES & BENEFITS

High-strength, interlocking jaws wrap the kingpin, minimizing noise



FEATURES & BENEFITS

Three-position coupling indicator clearly shows coupling status



CrossWing

Designed with a unique 4-way pivot system that allows for maximum movement and flexibility. It is built to reduce stress on the trailer and truck by absorbing shock and preventing jerking and jarring. The CrossWing hitch is also easy to install and remove thanks to its 3-piece design.



FEATURES & BENEFITS

Patent-pending ShockDrop™ technology
Unique coupling system eliminates guesswork
Easy, one-person installation and removal
65% lighter than most traditional 5th wheels



65% LIGHTER

Main body weighs only 60 pounds



EASIER HOOKUP

Head piece permanently installs onto kingpin, allowing head channel to guide the kingpin into place



NO GUESSWORK

Unique coupling system eliminates guesswork by offering visible contact surface




ADDED TURNING CLEARANCE

Coupling point offset 5" rearward



INCREASED COMFORT

ShockDrop™ technology reduces jerking, jarring and vibrations





TRUTRACK TRAILER-MOUNTED WEIGHT DISTRIBUTION HITCHES

Easy to couple and doesn't require adjusting the spring bars after initial setup. Simply set up the TruTrack and then couple or uncouple your trailer using the quick-connect hitch when you need to separate the trailer and tow vehicle.

The weight distribution system helps to distribute weight evenly across the coupling point by using spring bars that distribute the weight of the trailer across all axles and keep the trailer and tow vehicle more level to the ground.

TruTrack 2P

PN 17510

- Two points of sway control work together to keep trailer aligned.
- Up to 10,000 lb. GTW / 1,000 lb. TW



FEATURES & BENEFITS

- Patent-pending trailer-mounted design simplifies installation and decoupling
- Snap-up brackets require no extra tools to lift
- Independent, two-part system reduces lifting by keeping hitch weight on trailer
- Two distinct points of sway control work together to keep trailer aligned

TRAILER-MOUNTED



QUICK-CONNECT COUPLING



INTEGRATED BRACKETS



ADVANCED LEVELING



IMPROVED RIDE QUALITY



TruTrack 4P

PN 17520

- Four points of sway control work together to keep trailer aligned.
- Up to 10,000 lb. GTW / 1,000 lb. TW



FEATURES & BENEFITS

- Patent-pending trailer-mounted design simplifies installation and decoupling
- Snap-up brackets require no extra tools to lift
- Independent, two-part system reduces lifting by keeping hitch weight on trailer
- Four distinct points of sway control work together to keep trailer aligned

TRAILER-MOUNTED



QUICK-CONNECT COUPLING



INTEGRATED BRACKETS



ADVANCED LEVELING



IMPROVED RIDE QUALITY



Multi-Fit OEM PUCK SYSTEM GOOSENECK BALL with 4" Offset



Enhance your truck bed clearance and improve overall ride quality when towing with the CURT multi-fit OEM puck system gooseneck ball with 4" offset. The rearward offset effectively improves the clearance between your truck bed and trailer and is especially beneficial for short-cab pickup trucks, which can have limited clearance. Rated for towing up to 30,000 lbs. gross trailer weight and 7,500 lbs. vertical load, this kit is constructed from forged and machined steel alloy, delivering dependable strength for handling even the largest gooseneck trailers. Available with forged and machined steel gooseneck ball **PN 60663**, or forged and machined steel **ROCKERBALL** ball with ShockDrop™ technology for improved ride comfort **PN 60668**.



ENHANCED CLEARANCE

Provides extra 4" of rearward offset for improved turning and clearance



EASY INSTALLATION

Quarter-turn anchoring system provides quick install and removal



QUIET, STABLE RIDE

Offset pin dampens vertical chucking and fore-aft motion



FULLY INTEGRATED


All-in-one solution with integrated safety chains holders



FEATURES & BENEFITS

4" of rearward offset for improved turning and clearance

Multi-fit design fits select Chevrolet, Ford, GMC, Nissan and Ram puck systems




Adjustable anchors eliminate chucking between frame and pucks

All-in-one solution with integrated safety chains holders



MULTI-FIT COMPATIBILITY

Fits select Chevrolet, Ford, GMC, Nissan and Ram puck systems and all CURT OEM-style goosenecks





CURT **ACTIVELINK** **BIKE RACK**

ActiveLink SE bike rack is all about bringing maximum confidence and convenience to the active, outdoor lifestyle. It is built around the revolutionary ActiveLink technology from CURT, a hitch-mounted system that allows for fast, easy, secure attachment of hitch accessories like never before. Two bike and four bike models are available. Unlike a traditional hitch connection that requires you to get down on your hands and knees, and feel around grimy components to line everything up, this bike rack features the ActiveLink shank. Simply install the shank one time in your receiver, and you can swap out accessories in a flash. Expand your possibilities by adding an optional 49" x 22" Aluminum Hitch Cargo Carrier, or an optional 3,500 GTW, 2" Tow Ball.

EASIER TO INSTALL

Shank provides integrated resting point for struggle-free installation



ZERO-TOOL REMOVAL

Patent-pending design for fast, secure attachment with pin & clip




QUICK ACCESS

Tilt-away feature for easier access to vehicle cargo area




FEATURES & BENEFITS



FEATURES & BENEFITS



FEATURES & BENEFITS





TRAILER HITCHES

Made for Your Vehicle & Lifestyle

A CURT hitch is the link to your lifestyle, equipping your vehicle for work or play and empowering you to pursue your passion. Designed, manufactured, finished and tested in the USA to give you and your crew confidence for the road ahead.

The custom-fit hitch line is made up of both rear mount hitches and front mount hitches. CURT also offers multi-fit hitch options, bumper mount hitches, weld-on hitches, RV hitches and ATV / UTV hitch solutions.

Rear Mount Trailer Hitches

Made for a vehicle-specific fit. They come in five classes, broken out by weight rating and receiver size.



Front Mount Hitches

Ideal for mounting a cargo carrier, snow plow or other accessories while retaining use of the rear receiver.



RV Trailer Hitches

Outfit your RV with versatile towing options with a frame-mounted hitch or bumper hitch. Tow a trailer, flat-tow your vehicle or add cargo space with a hitch carrier.



ATV Towing

Turn your ATV or UTV into a highly functional work machine with CURT ATV towing products. Ball mounts and a cargo carrier available.



Bumper Mount Trailer Hitches

These versatile trailer hitches bolt onto the bottom of a step bumper and provide a standard 2" receiver for towing light-duty trailers.



Universal Weld-On Trailer Hitches

Great for DIYers, CURT weld-on hitches come with a class 5 weight rating, a standard receiver, and a durable carbide finish.





e2® WEIGHT DISTRIBUTION TRAILER HITCH

Offering faster and easier sway control and weight distribution.

With built-in, permanent sway control, you can hitch up, tow, and unhitch with ease.

There is nothing extra to connect or store, and nothing to remove when backing or making a tight turn.

The e2's rigid brackets provide two points of steel-on-steel friction, constantly working to fight sway. Its unique design provides a level ride while minimizing sway caused by winds, semi trailers and sudden maneuvers.

Available in round-bar and trunnion styles. Both offer fast and easy sway control and weight distribution. The e2's smart design can be installed around gas tanks and battery boxes, works with surge brakes, and can accommodate any trailer type.




FLASH™ SILENT TOW BALL MOUNT

100% American-made from aircraft-grade aluminum for exceptional quality, durability, and peace of mind.

With patented anti-rattle technology, the FLASH™ SILENT effectively eliminates ball mount rattle and hitch noise for a quiet, enjoyable tow. The adjustable height and dual hitch balls make installing and adjusting your FLASH SILENT quick and easy, and its beautiful design looks fantastic on your truck.

LOCKING HITCH PINS, specially designed to fit FLASH ball mounts, are available for purchase. Add a locking hitch pin to your cart to ensure that your FLASH SILENT will stay secure in your receiver.



**MADE
IN THE
USA**



FLIP Jack Foot

The Fastway® FLIP™ jack foot extends your trailer jack by 6" and saves you 48 cranks in one direction. The FLIP has twice the contact surface area of other jack feet, providing more stability for your trailer.

The FLIP installs in seconds, with no tools needed for most applications, and fits most 2 1/4" tongue jacks—round or square.



FASTWAY

TRAILER PRODUCTS®

SIMPLE WEIGH™ Tongue Scale

Designed to fit every coupler size, the Simple Weigh™ is a fast and easy way to safely measure and know your tongue weight.

Trailer tongue weight should be 10-15% of the total trailer weight for most bumper-pull trailers. If the tongue weight is too low, the trailer will be prone to sway. If tongue weight is too high, the tow vehicle's rear axle could be overloaded and steering could be light and cause drifting.

With a properly balanced load, you can enjoy a safer tow with improved steering, better braking control and reduced trailer sway.



CHAIN UP™ Safety Chain Holder

The best way to eliminate the clanking, sparking or wear of dragging safety chains and ensures you'll never have to twist your chains again, keeping you and your trailer safer on the road.


Two different models are available: one for use with a fixed ball mount or adjustable height ball mount, and the other for use with a multi-hitch ball mount, or weight distribution style hitch head.



ONESTEP™ Wheel Chocks

Eliminates unwanted wheel movement, providing ultimate stability for your trailer. The ONESTEP positively locks both wheels securely in place, allowing you to freely move around in your trailer.

Easily slides into place and can be set, locked, and removed from a standing position.





MEGA-DUTY Adjustable Drop Hitches

Starting at 10,000 lb. capacity, these units go all the way up to a massive 32,000 lb. towing capacity! There are multiple drop options as well depending on your trailer towing needs.

Designed and tested for use in the drop or rise position, providing even greater versatility. Capable of being adapted to almost any bumper style trailer and pintle style couplings, this hitch is a great option for those looking for the best way to tow!

THE BOSS TORSION-FLEX Adjustable Drop Hitches

An innovative fusion of the MEGA-DUTY drop hitch and TORSION-FLEX technology. In addition to being heavy-duty, fully adjustable, and versatile, the BOSS also contains rubber torsion arms. Therefore, only 10% of the trailer inertia transfers compared to 100% when using a hard connection hitch. The 90% smoother ride allows you to glide instead of bounce, therefore increasing gas mileage. Since the tow vehicle and trailer track independently, customers gain greater control and safety through the reduction in sway and trailer bounce.

PHANTOM Adjustable Drop Hitch

An excellent option for those looking for a tough hitch at an affordable price. Perfect for lighter-duty towing with 1/2 ton trucks and SUVs. Rated at 5,000 lb. for towing, with 500 lb. of tongue weight.

The PHANTOM Hitch's innovative stacked tube design gives users the ability to adjust the ball mount up or down in order to achieve the right amount of drop every time! Not only is the PHANTOM Hitch adjustable, but it is also capable of being used in the drop or rise position.





EXECUTIVE TORSION-FLEX

Fifth Wheel Pin Box

The best riding fifth wheel pin box on the market!

By isolating the truck from the fifth wheel trailer with TORSION-FLEX Technology, the shock transfer is eliminated by up to 90%. This not only results in an incredibly smooth ride for truck and RV, it also gives the driver much more steering control. Customers have also reported many other benefits including: increased fuel mileage, decreased tire wear and reduced wear and tear on all towing components.



Fifth Wheel Pin Box Replacement with Gooseneck SnapLatch Coupler

Provides the smoothest and safest towing you'll ever experience!

Allows the user to hook a Fifth Wheel RV to the truck with a gooseneck ball. This technology eliminates the bulky Fifth Wheel from the back of the truck so the user can have full use of the bed when not towing the camper trailer.

This Gooseneck to Fifth Wheel replacement pin box also eliminates the additional costs of buying and installing a fifth wheel hitch for anyone who already has a gooseneck ball.





HYPERTECH

The World Leader In High-Performance Engine Tuning

**Optimized
Engine Tuning
For Maximum
Power &
Performance**

MAX ENERGY
SPECTRUM
POWER PROGRAMMER

Delivers more power-per-dollar than any other bolt-on on the market today. Plus, it installs in less than 15 minutes without using tools or getting your hands dirty. The award-winning Power Tuning adds maximum horsepower, torque, and performance for any kind of driving for vehicles using regular, premium, E85, as well as diesel fuel. Features a larger backlit LCD screen for quick and easy setup and user-friendly navigation for simple installation, tuning, and feature options.

- Most powerful tuning for towing
- Emission certified 50-state legal
- Automatic transmission adjustments
- Cooling fan "On/Off" temps
- Return to stock or change options
- Top speed limiter
- Speedometer calibrator
- RPM "Rev" Limiter
- Throttle adjustments
- Internet updateable



**Safely disable
your vehicle's Auto
Start/Stop or V4 mode** with

POWERSTAY

Installation is quick and easy!

With the vehicle off, plug the PowerStay into the OBD-II diagnostic port under the driver's side dash, then just drive your vehicle. That's all there is to it!

Reenable either feature by first turning your vehicle off then unplugging the PowerStay from the OBD-II diagnostic port under the driver's side dash.

IMPORTANT NOTE FOR GM VEHICLES WITH ACTIVE ONSTAR

GM OnStar cannot run the full diagnostics when the PowerStay or similar devices are plugged into the OBD-II port. PowerStay users that have the OnStar diagnostic app on their phone will get a message saying that some modules have faults, which is not accurate.



REACT
THROTTLE OPTIMIZER

Simple control knob lets you switch between multiple modes and control the throttle intensity of each mode on the fly.

- On-the-fly adjustments
- Does not void factory warranty
- LED setting indicators
- Multiple levels of safety protection
- Magnetic A/C vent mount included (no screws or tape)
- Pedestal swivel mount available (sold separately)
- Custom tuning software
- Internet updateable
- Easy plug-and-play installation
- Automatic setup sequence (no disassembly required)

**Complete Throttle Response
Control at Your Fingertips**



**WIRELESS
TPMS MONITOR & BOOSTER**

**Safely & Easily Monitor Your
Trailer or Older Vehicle's Tire
Pressures**

- Monitor tire pressure & temperature for safety & best possible fuel efficiency
- Wireless LCD unit displays tire pressure & temperature for each included TPMS sensor
- Audible alarms for too high/low air pressure, an air leak, or excessive tire temperature
- Installs quickly & easily



ORACLE LIGHTING

9.5" 48W ANGLED LED SCENE LIGHT FLUSH MOUNT BAR

An efficient way to light up any area. Featuring a robust design and durable structure, this scene light is an ideal solution for exterior or interior lighting on RVs, trailers, or utility vehicles. The unique vertical-side flush surface mounting design enables precise fitment and easy aiming. Using the latest in LED technology, the scene light delivers powerful brightness for maximum visibility with industry-leading LED chips. The Lexan lens integrates advanced optical technology for an illuminating wide-spread 70° flood beam. The heavy-duty construction uses an anodized polyester powdercoating for ultimate rugged durability. To ensure high-performance lighting in all environments, the working temperature ranges from -40°F to +125°F so you can enjoy trouble-free use anywhere you go.

Ditch the dim lighting and experience peak illumination with the ORACLE Lighting 48W Scene Light!



HITCH BAR REVERSE LIGHT KITS

Includes two bright LED reverse lights that easily attach to your vehicle's hitch bar, providing better visibility and safety when backing up. The lights are water and weather resistant, making them durable and long-lasting. Plus, the sleek and modern design ensures that they will look great on any vehicle.



47° DOWNWARD SIDE LIGHTS

EZ INSTALL • DIRECT BOLT-ON

FITS OEM HITCH • OEM LOOK • EZ BOLT-ON



Deluxe Universal WHEEL CHOCK LOCK

Powder-coated steel is rugged enough to withstand the elements, while rubber-coated arms protect your wheels. Whether you're securing a cargo trailer, travel trailer, or RV, this versatile wheel chock and lock set has you covered.



Aluminum ADJUSTABLE DROP HITCH

with **Locking Ball Mount**

Includes: Dual 2" and 2-5/16" chrome balls & receiver lock

- 2 Receiver hitch
- 10,000 lb. tow rating
- 1,500 lb. tongue weight rating
- Adjusts in 1" increments and locks into place
- Can be flipped and used as a drop or rise hitch
- Available with 6", 8", 10" or 12" drop/rise



BULLET LATCH LOCK

- Hardened ultra secure 3/8" diameter internal shackle – CAN'T BE CUT
- Fits & secures all trailer door hasps
- Designed & manufactured from high strength 6061 aircraft grade aluminum
- Covers entire hasp & rivets for maximum security
- For enclosed box trailers, trucks & high security hasps



Universal Dual-Purpose TRAILER COUPLER LOCK

with **Integrated U-Lock Feature**

- 9/16" shackle with dual-ratchet lock system
- Security for unattended trailers
- One size fits all couplers and types
- Die-cast body • 360° of protection
- Rugged, corrosion-resistant finish
- Pairs well with cables/chains for added security
- Includes two keys





TRAILER TONGUE BOXES

The perfect solution for keeping your items safe, secure and accessible on your next towing adventure. The box mounts on the tongue of the trailer and is compatible with most straight-tongue and A-frame trailers, including boat trailers. It features extra-thick aluminum construction with a patented RigidCore™ foam-filled lid for maximum strength, and it guards your valuables with a stainless steel lock handle.

The UWS trailer tool box also comes with a self-opening lid for convenient operation, and it features integrated tool organization.



Available in multiple sizes, with gloss black or bright aluminum finish. Ask for details.



FIFTH WHEEL TOOLBOXES

Designed with a low profile to provide adequate clearance for the movement of the 5th wheel trailer. It features extra-thick aluminum construction with a patented RigidCore™ foam-filled lid for maximum strength, and it guards your valuables with two stainless steel lock handles, connected by a rod for convenient operation from either side of the truck.

UWS 5th wheel truck tool boxes also come with a self-opening lid for convenient operation, and they feature integrated tool organization.





ALUMINUM ADJUSTABLE BALL MOUNT

The Weigh Safe Drop Hitch is the best aluminum drop hitch on the market. This hitch features a signature built-in gauge that measures tongue weight so you never have to worry about an unbalanced and unsafe load again. Crafted out of solid, aircraft grade aluminum, the Weigh Safe Drop Hitch is not only sleek but offers a Towing Peace of Mind with every towing journey.

The aluminum Weigh Safe Drop Hitch is available in 4", 6", 8", and 10" drop lengths and 2", 2.5", and 3" receiver sizes.



180° TURNOVER HITCH

The definition of ease and adaptability. This hitch features a double-sided tow ball, making switching tow ball sizes easier than ever. The 180 Turnover Hitch is available in 4", 6", 8", and 10" drop lengths and 2", 2.5", and 3" receiver sizes. This hitch can be used in both the rise and drop positions, offering the ultimate range of height adjustability for any and all trailers.



TRUE TOW WEIGHT DISTRIBUTION HITCH

With Weigh Safe's innovative technology and accompanying True Tow app, say goodbye to the uncertainty of whether your trailer is loaded correctly or if your hitch is properly set up. Spend less time guessing and more time enjoying the outdoors!

Available in 4", 6", 8", and 10" drop for 2" or 2.5" receiver.

Available for trailers up to 22,000 lb.

ASK FOR DETAILS



Weigh Safe!

MEASURES TONGUE WEIGHT

SAFE LOAD OEM GOOSENECK BALL HITCH

A 2-5/16" tow ball made of high-strength stainless steel with a single gauge that is compatible with any OEM puck system (Ford, Ram, Nissan, Toyota, GMC, Chevy).

The Safe Load OEM Gooseneck is the one and only gooseneck hitch with a built-in scale that signals you to adjust your load before you hit the road, resulting in a much safer and enjoyable towing experience.

With the Weigh Safe's built-in scale, measuring your tongue weight is as easy as coupling your trailer to your gooseneck hitch. Simply hook up your trailer to the Safe Load OEM Gooseneck Ball just as you would any other gooseneck hitch. The weight of your trailer will push down on the gooseneck ball, which in turn pushes down on an internal hydraulic piston that sits on a bed of oil. When the piston drops into the oil, the pressure reading is sent out to the scale.



SAFE LOAD ISR GOOSENECK HITCH

The Safe Load ISR (Industry Standard Rail) Gooseneck Ball is a 2-5/16" tow ball made of high-strength stainless steel with a 3" ball offset from the centerline allowing for easy adjustment for different bed sizes. It has a durable powder coated finish with dual gauges on either side for ease of use.

The Safe Load ISR Gooseneck Ball is the one and only gooseneck hitch with a built-in scale that signals you to adjust your load before you hit the road, resulting in a much safer and enjoyable towing experience. Before this gooseneck hitch, gauging your trailer's tongue weight or pin load weight was a hassle. You had to rely on inefficient bathroom scales, make a trip to the weigh station, or purchase a separate tongue weight scale. But with the Weigh Safe's built-in scale, measuring your tongue weight is as easy as coupling your trailer to your gooseneck hitch. Simply hook up your trailer to the Safe Load ISR Gooseneck Ball just as you would any other gooseneck hitch.





youne
Electric

E-SCOUT PRO OFF-ROAD/FAT TIRE HUNTING BIKE

Go Farther Between Charges!

Equipped with the newly upgraded 48V/20Ah, 960Wh LG battery with BMS system, stably leveling the range up to 80 miles. Its removable design also makes it convenient to charge wherever you are. No more range anxiety. Extend your adventure!



Powerful 750W Hub Motor



Multifunction HMI Display



Shock-absorbing Fork



Dual Hydraulic Disc Brakes



All-Terrain Fat Tires



Shimano 7-Speed Gearing

MATE R Hitch Bike Rack 200 LB Capacity 2" Receiver

Featuring a patented front wheel cradle with better and deeper wrapping, its adjustable sliders ensure a perfect fit for all bikes and eBikes with tires within 5".





(For California Residents)

WARNING: This product can expose you to chemicals including LEAD and DEHP which are known to the state of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov. Wash hands following handling or before eating.

Some products in this catalog are not legal for sale or use in California on any pollution-controlled motor vehicles. Not responsible for typographical errors.
Specials may not be available at all locations. We reserve the right to limit some quantities. Parts may be out of stock due to supplier's availability.
Certain items may be nonstocking and may require a freight fee to be added onto the sale price for special ordering.